

# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.		
10/623,541	07/22/2003	Tsuyoshi Shibata	01272.020609.	4875		
5514 7:	590 08/15/2006		EXAM	EXAMINER		
FITZPATRICK CELLA HARPER & SCINTO 30 ROCKEFELLER PLAZA			HUFFMAN,	HUFFMAN, JULIAN D		
NEW YORK,			ART UNIT	PAPER NUMBER		
			2853			
			DATE MAILED: 08/15/2000	6		

Please find below and/or attached an Office communication concerning this application or proceeding.

			<u>_</u>
	Application No.	Applicant(s)	
	10/623,541	SHIBATA ET AL.	
Office Action Summary	Examiner	Art Unit	
	Julian D. Huffman	2853	
The MAILING DATE of this communication ap Period for Reply	ppears on the cover sheet with t	he correspondence address	;
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING I - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statu Any reply received by the Office later than three months after the mailine earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATION OF THIS COMMUNICA	FION. be timely filed from the mailing date of this communioned (35 U.S.C. § 133).	
Status			
1) ☐ Responsive to communication(s) filed on 13.  2a) ☐ This action is FINAL. 2b) ☐ Th  3) ☐ Since this application is in condition for allowed closed in accordance with the practice under	is action is non-final. ance except for formal matters	•	its is
Disposition of Claims			
4) ☐ Claim(s) 1.4-12 and 15-22 is/are pending in t 4a) Of the above claim(s) is/are withdres 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1.4-12 and 15-22 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/	awn from consideration.		
Application Papers			
9) ☐ The specification is objected to by the Examin 10) ☑ The drawing(s) filed on 22 July 2003 is/are: a Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) ☐ The oath or declaration is objected to by the Examination is objected to by the Examination is objected.	a) accepted or b) objected or b) objected or b) objected or b) objected or abeyance. oction is required if the drawing(s)	See 37 CFR 1.85(a). is objected to. See 37 CFR 1.7	
Priority under 35 U.S.C. § 119			
12) △ Acknowledgment is made of a claim for foreign a) △ All b) ☐ Some * c) ☐ None of:  1. △ Certified copies of the priority document according to the priority document according to the certified copies of the priority document application from the International Bure * See the attached detailed Office action for a list	nts have been received. nts have been received in Appliority documents have been re au (PCT Rule 17.2(a)).	lication No ceived in this National Stag	e
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/0) Paper No(s)/Mail Date 9/27/05.	_	mary (PTO-413) lail Date mal Patent Application (PTO-152)	ı

Office Action Summary

### **DETAILED ACTION**

### Information Disclosure Statement

1. The information disclosure statement filed 27 September 2005 has been considered, a copy is attached.

# Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 3. Claims 1, 7-9, 12, and 18-20 are rejected under 35 U.S.C. 102(e) as being anticipated by Silverbrook (U.S. 6,575,549 B1, cited in previous rejection).

Silverbrook discloses:

With regards to claims 1 and 12, an inkjet printing method and apparatus using a printing head (fig. 1) having a plurality of nozzles (A-N) capable of ejecting ink for printing an image by ejecting ink based on printing data which instructs ejection or non-ejection of ink, the plurality of nozzles being aligned next to each other along a predetermined direction, wherein

compensation means (column 1, line 55) performs the step of adding the printing data corresponding to an abnormal nozzle malfunctioning in ink-ejection (nozzle h) to the printing data corresponding to a neighboring nozzle of the abnormal nozzle (nozzles G or I, fig. 3, column 3, lines 2-12) based on a landing state of ink ejected from the neighboring nozzle (column 2, lines 56-62, landing states of ink ejected from nozzles are checked and neighboring nozzles would only be used for compensation if they are functioning properly),

when an N-th nozzle of the plurality of nozzles is an abnormal nozzle, a neighboring printing area neighboring a printing area to be printed by the N-th abnormal nozzle is printed by using an (N-M)-th neighboring nozzle (G) and an (N+M)-th neighboring nozzle (I, where N and M are positive integers) arranged in the neighborhood of the N-th abnormal nozzle based on the printing data corresponding to the N-th abnormal nozzle (column 3, lines 5-12, for a given print area, nozzles G and I on either side of nozzle H take turns printing the data of nozzle H), and

the printing data corresponding to the N-th abnormal nozzle is alternately added to the printing data corresponding to the (N-M)-th neighboring nozzle and the (N+M)-th neighboring nozzle every time the printing data corresponding to the N-th abnormal nozzle is present (column 3, lines 13-16);

the landing state is affected by at least one of a landing position of ink on the printing medium and a diameter of dot formed by ink landed on the printing medium (column 2, lines 56-62), and

abnormal nozzles include nozzles incapable of ejecting ink and nozzles whose landing state of ink is not normal (column 2, lines 56-62).

With regards to claims 8, 9, 19 and 20, means for or step for completely printing an image in a predetermined area of a printing medium by a single movement of a single printing head relative to the printing medium while ink is ejected out of the nozzles of the single printing head based on the printing data (column 2, lines 39-42).

With regards to claims 7 and 18, Silverbrook further discloses that when the printing data corresponding to the N-th abnormal nozzle is added to that corresponding to the (N-M)-th neighboring nozzle and the (N+M)-th neighboring nozzle, a printing resolution of the printing head is improved (compare figs. 2 and 3).

4. Claims 7 and 18 are rejected under 35 U.S.C. 102(e) as being anticipated by U.S. 6,481,816 B1 to Oyen.

Oyen discloses:

With regards to claim 7, an inkjet printing method and apparatus using a printing head (fig. 1, element 3) having a plurality of nozzles (7) capable of ejecting ink for printing an image by ejecting ink based on printing data which instructs ejection or non-ejection of ink, the plurality of nozzles being aligned next to each other along a predetermined direction (fig. 1), comprising:

compensation means (fig. 2, element 14) for/step of adding the printing data corresponding to an abnormal nozzle malfunctioning in ink-ejection to the printing data corresponding to a neighboring nozzle of the abnormal nozzle (abstract);

when an N-th nozzle of the plurality of nozzles is an abnormal nozzle, a neighboring printing area neighboring a printing area to be printed by the N-th abnormal nozzle is printed by using an (N-M)-th neighboring nozzle and an (N+M)-th neighboring nozzle (where N and M are positive integers) arranged in the neighborhood of the N-th abnormal nozzle based on the printing data corresponding to the N-th abnormal nozzle (figs. 5a-5d, column 6, lines 2-25), and

when the printing data corresponding to the N-th abnormal nozzle is added to that corresponding to the (N-M)-th neighboring nozzle and the (N+M)-th neighboring nozzle, a printing resolution of the printing head is improved (compare figs. 5b and 5c, wherein resolution is improved when compared to the image that would be printed without correction).

### Claim Rejections - 35 USC § 103

- 5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 6. Claims 10 and 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Silverbrook in view of Su (5,929,875).

Silverbrook does not expressly disclose varying the manner of adding print data of the abnormal nozzle to the neighboring nozzle depending on type of print medium.

Su et al. teach adjusting the drop size based on the type of print medium (column 3, lines 22-24 and column 24, lines 12-18).

It would have been obvious to one having ordinary skill in the art at the time of the invention to modify Silverbrook to adjust the print data depending on the type of print medium, as taught by Su et al., for the purpose of accommodating for different ink absorption properties of various media types (column 24, line 18).

7. Claims 11 and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Silverbrook in view of Oyen.

Silverbrook discloses printer diagnostics that determines if a nozzle is functioning properly (column 2, lines 53-56).

Silverbrook does not disclose the details of the printing diagnostics, or means for/step of printing a correction pattern on a printing medium by using the printing head, the detection pattern being for use in detecting the state of the nozzles and detecting means for/step for detecting the abnormal nozzle based on the detection pattern printed on the printing medium.

Oyen discloses means for/step of printing a detection pattern on a printing medium by using a printing head and, detecting the state of the nozzle and detecting means for/step of detecting the abnormal nozzle based on the detection pattern printed on the printing medium (column 8, lines 38-45).

It would have been obvious to one having ordinary skill in the art at the time of the invention to modify Silverbrook to include printing means for causing the printer to perform the step of printing a detection pattern and detecting means for causing the printer to perform the step of detecting an abnormal nozzle based on the detection pattern printed, as taught by Oyen, for the purpose of providing a means to detect abnormal nozzles.

8. Claims 4-6 and 15-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Oyen in view of Bland (6,278,469).

Oyen discloses:

With regards to claims 4 and 15, an inkjet printing method and apparatus using a printing head (fig. 1, element 3) having a plurality of nozzles (7) capable of ejecting ink for printing an image by ejecting ink based on printing data which instructs ejection or non-ejection of ink, the plurality of nozzles being aligned next to each other along a predetermined direction, comprising,

compensation means (fig. 2, element 14) for/step of adding the printing data corresponding to an abnormal nozzle malfunctioning in ink-ejection to the printing data corresponding to a neighboring nozzle of the abnormal nozzle (abstract),

when an N-th nozzle of the plurality of nozzles is an abnormal nozzle, a neighboring printing area neighboring a printing area to be printed by the N-th abnormal nozzle is printed by using an (N-M)-th neighboring nozzle and an (N+M)-th neighboring nozzle (where N and M are positive integers) arranged in the neighborhood of the nozzle based on the printing data corresponding to the N-th abnormal nozzle,

the printing data corresponding to the N-th abnormal nozzle is added to the printing data corresponding to the (N-M)-th neighboring nozzle and the (N+M)-th neighboring nozzle (figs. 5a-5d, column 6, lines 2-25).

Oyen discloses that the amount of ink deposited by the neighboring nozzles may be adjusted (column 6, lines 18-25).

Oyen does not expressly disclose compensation means for causing the printer to perform the step of adjusting the ratio of the printing data corresponding to the N-th

abnormal nozzle to be added to the printing data corresponding to the (N-M)-th neighboring nozzle and the (N+M)-th neighboring nozzle based on states which are responsive to the ink-ejection property of the (N-M)-th neighboring nozzle and the (N+M)-th neighboring nozzle, the states obtained based on information regarding the landing position and diameter of the neighboring nozzle as obtained from a test print.

Bland et al. discloses performing a test print on print medium, determining the states, including landing position and diameter information, of the nozzles, and adjusting the ratio of ink deposited based on the states (abstract). Further, Bland et al. teach that the technique may be applied to any ink jet printer (column 11, line 67).

It would have been obvious to one having ordinary skill in the art at the time of the invention to provide compensation means in Oyen which causes the printer to perform the step of adjusting the ratio of printing data based on states of the nozzles, as suggested by Bland, for the purpose of improving print quality without reducing throughput.

## Response to Arguments

**9.** Applicant's arguments filed 13 June 2006 have been fully considered but they are not persuasive.

Applicant argues that Silverbrook does not consider a landing state of a neighboring nozzle when an abnormal nozzle is compensated by the neighboring nozzle. Silverbrook checks the landing state of each nozzle (column 2, lines 56-62). Accordingly, one of ordinary skill in the art at the time of the invention would have recognized that if a neighboring nozzle is not functional, it should not be used to compensate for an abnormal nozzle, since such a nozzle "will be partially or totally blocked resulting in insufficient or no ink being deposited on the paper" (column 2, lines 59-62). Silverbrook never discloses using an abnormal nozzle to compensate for an abnormal nozzle, and this is what is required by applicant to render this argument valid.

Applicant argues that Silverbrook does not alternately add print data, and refers to the black dots in row 7 of fig. 3. However, compensating dots are added "at only about 50% of possible locations" (column 3, line 16) and this is equivalent to alternately adding print data, since the data is only added in alternating rows.

Applicant argues that in Silverbrook and Oyen, adding printing data of an abnormal nozzle to neighboring nozzles does not improve the printing resolution. Resolution is the number of dots per unit area. By having one or more neighboring nozzles eject ink (at least one dot), in place of a nozzle which does not eject ink (0 dots), more dots of ink are deposited in the printing area. This increases the resolution. Further, by having two neighboring nozzles print for the abnormal nozzle, at least two dots of ink are deposited instead of the one dot of ink intended to be deposited by the abnormal nozzle. For the above reasons, this argument is not persuasive.

Application/Control Number: 10/623,541 Page 10

Art Unit: 2853

Applicant argues that Oyen and Bland are not combinable since Bland does not mention assigning print data to different nozzles if an abnormal nozzle occurs. In response to applicant's arguments against the references individually, one cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); *In re Merck & Co.*, 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986).

### Conclusion

**10. THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Application/Control Number: 10/623,541 Page 11

Art Unit: 2853

**11.** Any inquiry concerning this communication or earlier communications from the examiner should be directed to Julian D. Huffman whose telephone number is (571) 272-2147. The examiner can normally be reached on 10:00a.m.-6:30p.m. Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stephen Meier can be reached on (571) 272-2149. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Julian D. Huffman Art Unit 2853 8 August 2006